

# Finding the Chromatic Number by Means of Critical Graphs

Francine Herrmann

Université de Metz

and

Alain Hertz

Ecole Polytechnique de Montréal

---

We propose a new exact algorithm for finding the chromatic number of a graph  $G$ . The algorithm attempts to determine the smallest possible induced subgraph  $G'$  of  $G$  which has the same chromatic number as  $G$ . Such a subgraph is said critical since all proper induced sub-graphs of  $G'$  have a chromatic number strictly smaller than  $G'$ .

The proposed method is particularly helpful when a  $k$ -coloring of a non-critical graph is known, and it has to be proved that no  $(k - 1)$ -coloring of  $G$  exists. Computational experiments on random graphs and on DIMACS benchmark problems demonstrate that the new proposed algorithm can solve larger problems than previous known exact methods.

Categories and Subject Descriptors: G.4 [Mathematical Software]: Algorithm Design and Analysis

General Terms: Algorithms, Experimentation, Performance

---

## 1. INTRODUCTION

Given a graph  $G = (V, E)$  with vertex set  $V$  and edge set  $E$ , and given an integer  $k$ , a  $k$ -coloring of  $G$  is a function  $c: V \rightarrow \{1, \dots, k\}$  such that  $c(i) \neq c(j)$  for all edges  $\{i, j\} \in E$ . The chromatic number  $\gamma(G)$  of  $G$  is the smallest integer  $k$  such that there is a  $k$ -coloring of  $G$ .

Finding the chromatic number of a graph is an NP-hard problem [5]. Exact algorithms have been developed by several researchers [2; 1; 9; 10; 11], but all these exact methods can only be applied on small instances. This certainly explains why many heuristics methods have been developed for getting an upper bound on the chromatic number of a

---

Name: Francine Herrmann

Address: LITA, Université de Metz, Ile de Saulcy 57045 Metz Cedex, France, herrmann@lrim.sciences.univ-metz.fr

Name: Alain Hertz

Address: Département de Mathématiques et de Génie Industriel Ecole Polytechnique, CP 6079, Succ. Centre-Ville Montréal,(QC) H3C 3A7, Canada, Alain.Hertz@gerad.ca

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or direct commercial advantage and that copies show this notice on the first page or initial screen of a display along with the full citation. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, to redistribute to lists, or to use any component of this work in other works, requires prior specific permission and/or a fee. Permissions may be requested from Publications Dept, ACM Inc., 1515 Broadway, New York, NY 10036 USA, fax +1 (212) 869-0481, or permissions@acm.org.

1. (Initialisation phase) Determine an upper bound  $k = H(G)$  on  $\gamma(G)$  by means of HEURISTIC.
2. (Descending phase) Set  $G' = G$ ; Scan all vertices  $x$  of  $G$  in *some order* and for each such  $x$  do the following:
  - (a) Determine an upper bound  $\mu = H(G' - x)$  on  $\gamma(G' - x)$  by means of HEURISTIC; if  $\mu = k$  then set  $G' := G' - x$ .
3. Determine the chromatic number  $k' = \gamma(G')$  of  $G'$  by means of EXACT; if  $k' = k$  then STOP:  $k$  is the chromatic number of  $G$ .
4. (Augmenting phase) Set *List* to the empty set; for each vertex  $x$  which is in  $G$  but not in  $G'$  do the following
  - (a) Determine an upper bound  $\mu = H(G' + x)$  on  $\gamma(G' + x)$  by means of HEURISTIC.
  - (b) If  $\mu > k'$  then determine the chromatic number  $k'' = \gamma(G' + x)$  by means of EXACT; if  $k'' = k' + 1$  then introduce  $x$  into *List*;
5. If *List* is not empty then *choose* a vertex  $x$  in *List*, set  $G' = G' + x$  and  $k' = k' + 1$ ; otherwise *choose* a vertex  $x$  which is in  $G$  but not in  $G'$ , and set  $G' = G' + x$ ;
6. If  $G' = G$  or  $k' = k$  then STOP:  $k'$  is the chromatic number of  $G$ ; otherwise go to Step 4.

Fig. 1. A new exact algorithm for the computation of the chromatic number of a graph  $G$ .

graph. A survey of the most famous heuristic graph coloring methods can be found in [12]. Nowadays, the most powerful heuristic algorithms are adaptations of metaheuristics (e.g., tabu search, genetic algorithms) [3; 4].

All known exact methods for finding the chromatic number of a graph  $G$  suffer from the same difficulty: while it is often easy to exhibit a  $\gamma(G)$ -coloring by means of an efficient heuristic method, it is difficult to prove that this coloring is optimal. Typically, on random graphs with 85 vertices and edge density 0.5, exact methods only need a few seconds to determine a  $\gamma(G)$ -coloring, while several minutes or hours are needed to prove that no better coloring exists.

A graph  $G$  is said to be *critical* if all its proper induced subgraphs have a chromatic number strictly smaller than  $\gamma(G)$ . All non-critical graphs  $G$  contain a proper induced subgraph  $G'$  which is critical and also such that  $\gamma(G') = \gamma(G)$ . In order to compute the chromatic number of a graph  $G$ , we will try to determine the smallest possible critical subgraph  $G'$  of  $G$  such that  $\gamma(G') = \gamma(G)$ . While  $G$  and  $G'$  have the same chromatic number, we hope that  $G'$  has fewer vertices than  $G$ . We will therefore apply any known exact method on  $G'$  instead of  $G$ .

The new exact algorithm is described in details in the next section. Various possible strategies for implementing this algorithm are detailed in Section 3. Computational experiments on random graphs as well as on DIMACS benchmark problems [8] are reported in Section 4. We conclude by final remarks and possible extensions.

## 2. A NEW EXACT ALGORITHM

Let EXACT be any exact algorithm for the computation of the chromatic number of a graph  $G$ , and let HEURISTIC be any heuristic method which produces an upper bound, denoted  $H(G)$ , on the chromatic number of  $G$ . Our new exact algorithm for the computation of the chromatic number is based on a combination of EXACT and HEURISTIC, together with the concept of critical graphs.

A description of the new exact algorithm is given in Figure 1. We have used the following notations. For a graph  $G = (V, E)$  and a vertex  $x \in V$ , we denote by  $G - x$  the subgraph of  $G$  induced by  $V \setminus \{x\}$ . Similarly, given any induced subgraph  $G' = (V', E')$  of  $G = (V, E)$ , and given any vertex  $x$  in  $V \setminus V'$ , we denote  $G' + x$  the subgraph of  $G$  induced by  $V' \cup \{x\}$ .

We now give a detailed explanation of this new algorithm as well as a justification of

its correctness. In the initialization phase, we compute an upper bound  $k$  on the chromatic number of  $G$  by means of HEURISTIC. We then start a *descending phase* that aims to determine a critical induced subgraph  $G'$  of  $G$  with  $\gamma(G') = \gamma(G)$ . This is done as follows. We first set  $G'$  equal to  $G$ . Ideally, we should remove vertices from  $G'$ , as long as such removals do not change the chromatic number of  $G'$ . However, such a process would require the comparison between  $\gamma(G')$  and  $\gamma(G' - x)$ , for each vertex  $x \in G'$ . In order to avoid such computations, we use upper bounds on the values of  $\gamma(G')$  and  $\gamma(G' - x)$ . All these bounds are obtained by means of HEURISTIC. In other words, a vertex  $x$  is removed from  $G'$  only if  $H(G')$  is equal to  $H(G' - x)$ .

**Property 1**

Let  $k$  be an upper bound on the chromatic number  $\gamma(G)$  of a graph  $G$  and let  $G'$  be any subgraph of  $G$ . If  $\gamma(G') = k$ , then  $\gamma(G) = \gamma(G')$ .

PROOF.  $\gamma(G) \geq \gamma(G')$  since  $G'$  is a subgraph of  $G$ , and  $k \geq \gamma(G)$  since  $k$  is an upper bound on  $\gamma(G)$ . It follows that  $\gamma(G) = \gamma(G')$  when  $\gamma(G') = k$ .  $\square$

**Property 2**

Let  $H(G)$  be the upper bound computed at Step 1 of the above algorithm, and let  $G'$  be the graph obtained from  $G$  at the end of Step 2. If  $\gamma(G') = H(G)$ , then  $G'$  is critical and has the same chromatic number as  $G$ .

PROOF. Assume  $\gamma(G') = H(G)$ . We know from Property 1 that  $\gamma(G) = \gamma(G')$ . Moreover,  $G'$  is obtained from  $G$  by removing all vertices that do not modify the value of the upper bound. We therefore have  $H(G') = H(G)$  and  $H(G' - x) < H(G')$  for all vertices  $x$  remaining in  $G'$ . Hence

$$\gamma(G' - x) \leq H(G' - x) < H(G') = H(G) = \gamma(G)$$

for all  $x \in G'$ , which means that  $G'$  is critical.  $\square$

In Step 3 of the *descending phase* we compute the chromatic number  $\gamma(G')$  of  $G'$ . It follows from Property 1 that if  $\gamma(G')$  is equal to the upper bound  $H(G)$  on  $\gamma(G)$ , then  $\gamma(G) = H(G)$ . The algorithm can therefore be stopped.

**Property 3**

If all upper bounds produced by HEURISTIC in Steps 1 and 2 of the above algorithm are equal to the chromatic number of the graphs given as input, then the algorithm stops at Step 3.

PROOF. Assume that the upper bound  $H(G)$  computed at Step 1 is equal to  $\gamma(G)$ , and that each time a vertex  $x$  is removed from  $G'$  at Step 2 we have  $\gamma(G' - x) = H(G' - x)$ . Since a vertex  $x$  is removed from  $G'$  only if  $H(G' - x) = H(G)$ , we have  $\gamma(G') = H(G) = \gamma(G)$  when entering Step 3, which means that the algorithm stops.  $\square$

Notice that if the algorithm stops at Step 3, this means that only one call to EXACT is required, and this call is performed on a graph  $G'$  which has hopefully less vertices than the original graph  $G$ . It may however happen that  $\gamma(G') < H(G)$ . In such a case, we start the *augmenting phase* in which vertices are added to  $G'$  until either  $\gamma(G') = H(G)$  or  $G' = G$ . We now give details on this *augmenting phase*.

Given a subgraph  $G'$  of  $G$ , we consider each vertex  $x$  which is in  $G$  but not in  $G'$ , and we compute an upper bound  $H(G' + x)$  on  $\gamma(G' + x)$ . If this upper bound is strictly larger than  $\gamma(G')$ , we have good reasons to suspect that  $\gamma(G' + x) = \gamma(G') + 1$ . We therefore

- 5'. If *List* is not empty then
- (a) choose a vertex  $x$  in *List*, set  $G' = G' + x$  and  $k' = k' + 1$ .
  - (b) (descending phase) Scan all vertices  $x$  of  $G'$  in some order, and for each such  $x$  do the following
    - Determine an upper bound  $\mu = H(G' - x)$  on  $\gamma(G' - x)$  by means of HEURISTIC.
    - If  $\mu = k'$  then determine the chromatic number  $k'' = \gamma(G' - x)$  of  $G' - x$  by means of EXACT.
    - If  $k'' = k'$  then set  $G' = G' - x$ ; Otherwise choose a vertex  $x$  which is in  $G$ , but not in  $G'$ , and set  $G' = G' + x$ .

Fig. 2. A possible variation on Step 5.

apply EXACT on  $G' + x$  in order to confirm this fact. If  $\gamma(G' + x)$  is effectively equal to  $\gamma(G') + 1$ , we put  $x$  into a set called *List*. At the end of Step 4, each vertex  $x$  in *List* is such that  $\gamma(G' + x) = \gamma(G') + 1$ , while each other vertex  $x$  which is in  $G$  but not in  $G'$  is such that  $\gamma(G' + x) = \gamma(G')$ .

At Step 5, we add a vertex  $x$  to  $G'$ . If *List* is not empty, then  $x$  is chosen in it, and the chromatic number of  $G'$  is increased by one unit. Otherwise, any vertex in  $G$  but not in  $G'$  is added to  $G'$  without increasing the chromatic number of  $G'$ .

If during the *augmenting phase* we can exhibit a graph  $G'$  such that  $\gamma(G') = H(G)$ , then it follows from Property 1 that  $\gamma(G) = H(G)$ , and the algorithm can therefore be stopped. Otherwise, vertices are iteratively added to  $G'$  until  $G' = G$ , in which case  $\gamma(G)$  is equal to  $\gamma(G')$  (which has already been computed in the previous steps).

Notice that when a vertex  $x$  from *list* is added to  $G'$  in Step 5, it may happen that the augmented graph contains vertices which can be removed from it without modifying the chromatic number. A *descending phase* could therefore also be applied to the augmented graph. This can easily be done by putting Step 5' described in Figure 2 in place of Step 5 of the original algorithm. Notice that the descending phase in the above Step 5' is slightly different from the descending phase of Step 2. Indeed, when HEURISTIC indicates that a vertex  $x$  can probably be removed from  $G'$  without modifying its chromatic number, we check this fact in Step 5' but not in Step 2. The reason for this difference is that we need to update the chromatic number of  $G'$  each time  $G'$  is modified in the *augmenting phase*.

In Figures 1 and 2, we have underlined some flexible points of the algorithm where different strategies can be implemented. We describe in the next section the choices we have made for these strategies.

### 3. IMPLEMENTATION STRATEGIES

The subgraph  $G'$  obtained from  $G$  at the end of Step 2 may depend on the ordering with which the vertices are scanned. We have chosen to order the vertices dynamically by choosing at each step the vertex in  $G'$  with smallest degree. We have also tested other strategies (e.g., random ordering, ordering according to non-decreasing degree in  $G$ , etc.), but these other orderings systematically produced worse results when compared to our choice. The chosen strategy is illustrated for the graph in Figure 3. We will assume in what follows that given any graph  $G$ , the upper bound  $H(G)$  delivered by HEURISTIC is equal to the chromatic number  $\gamma(G)$  of  $G$ . The proposed algorithm first sets  $H(G)$  equal to 3 in Step 1. Then, when applying our strategy for Step 2, we first try to remove vertex  $a$  since it has the smallest degree in  $G = G'$ . Since such a removal does not change the chromatic number of  $G'$ , it is performed. Vertex  $e$  is now the vertex with smallest degree in  $G'$ , and it is also removed from  $G'$  since the remaining graph still has chromatic number 3. At this stage, both vertices  $d$  and  $f$  have degree 2 in  $G'$  and we choose one at random,




Fig. 3. A graph which helps to illustrate the strategy chosen for Step 2.

say  $f$ . The removal of  $f$  induces a new graph  $G'$  that still has chromatic number 3. In the next step, either  $d$  or  $h$  is removed, say  $d$ , and finally either  $g$  or  $h$  is removed, say  $g$ . The resulting graph  $G'$  is a triangle made of  $b$ ,  $c$  and  $h$ . No additional vertex can be removed from  $G'$  without modifying its chromatic number. We therefore enter Step 3 with this triangle.

For comparison, consider a similar strategy for Step 2, except that we choose a vertex with largest (instead of smallest) degree in  $G'$ . In such a case, there are three candidate vertices to be removed at the first iteration of Step 2. Indeed, vertices  $b$ ,  $c$  and  $g$  all have degree 4, which is the largest one in  $G = G'$ . Assume that vertex  $c$  is chosen. HEURISTIC will find a 2-coloring of  $G - c$ . Vertex  $c$  is therefore not removed from  $G'$ . If the next candidate is vertex  $g$ , then it is removed from  $G'$ , since  $\gamma(G' - g) = 3$ . There are then three vertices with largest degree 3, vertices  $b$ ,  $c$  and  $h$ . Vertex  $c$  has already been considered in the previous iteration and is therefore not a candidate to be removed from  $G'$ . If vertex  $h$  is chosen as next candidate, it is not removed from  $G'$  since  $\gamma(G' - h) = 2$ . Since the removal of vertex  $b$  does not modify the chromatic number of  $G'$ , it is performed and the resulting graph is a pentagon on vertices  $c$ ,  $d$ ,  $e$ ,  $f$ , and  $h$ , plus an isolated vertex  $a$ . Vertices  $c$  and  $h$  have already been considered before and are therefore not candidates to be removed. Vertices  $d$ ,  $e$  and  $f$  cannot be removed from  $G'$  since they induce a decrease of the chromatic number. The last vertex which is removed is therefore vertex  $a$ , and we enter Step 3 with  $G'$  equal to a pentagon.

During the *augmenting phase*, there are several possible strategies for adding vertices to  $G'$ . If *List* is not empty we have decided to add to  $G'$  the vertex in *List* which has the largest number of neighbors in  $G'$ . If *List* is empty, then we choose the vertex which is in  $G$  but not in  $G'$ , and which has the largest number of neighbors in  $G'$ . Here also, we have tested different strategies, but the chosen one has systematically produced the best results.

#### 4. COMPUTATIONAL EXPERIMENTS

There are many possible choices for EXACT and HEURISTIC. For EXACT, we have chosen to implement the branch-and-bound algorithm described in [9] which is a corrected version of Br'elaz's modification of Brown's algorithm [2; 1]. For HEURISTIC, it is very important to make a good choice. Indeed, if the initial upper bound  $H(G)$  on  $\gamma(G)$  produced by HEURISTIC is strictly larger than  $\gamma(G)$ , then the algorithm will stop at Step 6 with  $G' = G$ . In such a case, there is no benefit to use the new algorithm instead of EXACT.

Table 1. Results for random graphs  $G_{n,0.5}$ 

n	$\gamma(G_{n,0.5})$	size of critical subgraph	backtracks New	backtracks EXACT
40	8.3	22.9	$36.3 \cdot 10^0$	$97.1 \cdot 10^0$
50	9.4	33.8	$1.7 \cdot 10^3$	$2.0 \cdot 10^3$
60	10.6	45.7	$42.8 \cdot 10^3$	$24.4 \cdot 10^3$
70	11.7	58.4	$331.2 \cdot 10^3$	$551.1 \cdot 10^3$
80	12.8	68.9	$11.8 \cdot 10^6$	$13.1 \cdot 10^6$
85	13.0	69.0	$10.7 \cdot 10^6$	$26.0 \cdot 10^6$
90	13.8	79.7	$1632.7 \cdot 10^6$	(8)
95	14.0	78.5	$393.4 \cdot 10^6$	(2)
100	-	-	(2)	(0)

It is therefore important to choose an efficient heuristic method for HEURISTIC. We have implemented the Tabu search method described in [6]. While better heuristic methods are available, e.g., [3; 4], the chosen one always produced upper bounds equal to the chromatic number of the graphs given as input. It follows from Property 3 that our algorithm never entered the *augmenting phase*.

Since HEURISTIC is much faster than EXACT (their CPU-time differ by several orders of magnitude) the total computational time of the new algorithm is mainly due to Step 3 where the chromatic number of the critical graph  $G'$  is determined. Hence, in order to evaluate the benefit of using the new proposed algorithm instead of EXACT, we report for each graph instance  $G = (V, E)$  the following information which does not depend on the computer used :

size of the critical subgraph the number of vertices in the critical subgraph  $G'$  of  $G$ .

backtracks EXACT the number of backtracks required by EXACT when computing the chromatic number of  $G$ .

backtracks New the number of backtracks required by the new algorithm when computing the chromatic number of the critical subgraph  $G'$  of  $G$ .

We have performed tests on random graphs and on DIMACS benchmark problems [Johnson 1996]. Random graphs  $G_{n,p}$  are graphs with  $n$  vertices such that there exists an edge with a probability  $p$  (called *edge density*) between any pair of vertices, independently of the existence or non-existence of any other edge. This family of graphs has been deeply studied with respect to coloring, especially for  $p=0.5$ . We have tested our new algorithm on random graphs having  $n=40, 50, 60, 70, 80, 85, 90, 95$  and 100 vertices, and edge density 0.5. We have randomly generated 10 graphs  $G_{n,p}$  for each couple  $(n, p)$  and give average results in Table 1. (All instances can be downloaded from [dmawww.epfl.ch/rose.mosaic/ah/RANDOM\\_GRAPHES](http://dmawww.epfl.ch/rose.mosaic/ah/RANDOM_GRAPHES).) We have imposed for each instance a time limit of 24 hours. When an algorithm is not able to solve all 10 instances of the same size, we only indicate, in parentheses, the number of instances for which the chromatic number could be determined. Table 1 requires some comments. First, the New algorithm can clearly solve larger problems than Exact. For example, while our method is able to find the chromatic number of all instances with 95 vertices, only 2 such graphs could be solved by EXACT within one day CPU-time.

Surprisingly, EXACT is faster than the new algorithm for random graphs having 60 vertices. We could expect the opposite since our algorithm has to determine the chromatic number of graphs having 45.7 vertices in average, and all these graphs are subgraphs of




Fig. 4. A graph and one of its critical subgraphs.

a  $G_{60,0.5}$ . The example depicted in Figure 4 shows that given a graph  $G$  and a critical subgraph  $G'$  with  $\chi(G') = \chi(G)$ , it may happen that  $\chi(G)$  is easier to compute than  $\chi(G')$ . In this example, the triangle made of vertices  $d$ ,  $e$  and  $h$  in  $G$  is easily detected by Exact and it provides a proof that there is no 2-coloring of  $G$ . Such a proof is not so simple for the critical subgraph  $G'$  of  $G$ .

Notice also that while the computational effort needed by EXACT increases with problem size, this is not always the case for the new algorithm which is, in average, slightly faster for  $G_{85,0.5}$  than for  $G_{80,0.5}$ , and four times faster for  $G_{95,0.5}$  than for  $G_{90,0.5}$ . This surprising behavior can be explained as follows. Almost all tested random graphs  $G_{80,0.5}$  (8 out of 10) have the same chromatic number as the tested  $G_{85,0.5}$ . The *descending phase* has therefore more flexibility in  $G_{85,0.5}$  than in  $G_{80,0.5}$  for choosing which vertices should be removed in order to get a critical subgraph  $G'$ . The same situation occurs with the tested  $G_{90,0.5}$  which almost all have the same chromatic number as the tested  $G_{95,0.5}$ . To illustrate this phenomenon, consider once again the two graphs in Figure 4. Both have their chromatic number equal to 3. The smaller one  $G'$  is critical and can therefore not be reduced. There is however some flexibility for the removal of vertices in the larger graph  $G$ . One can for example remove vertex  $h$  and get the smaller graph  $G'$ . Another possibility is to remove vertices  $a$ ,  $b$ ,  $c$ ,  $f$  and  $g$  and get a triangle which is easier to color than  $G'$ . This may explain why the critical subgraphs obtained from a  $G_{95,0.5}$  are in average smaller than those obtained from a  $G_{90,0.5}$ .

The same phenomenon could be observed with random graphs having 100 vertices. Indeed, we could prove that two of the ten tested  $G_{100,0.5}$  have a chromatic equal to 14 (which is the chromatic number of all tested  $G_{95,0.5}$ ) while the chromatic number of the eight other instances seems to be equal to 15. The two solved instances have first been reduced to subgraphs having 77.5 vertices in average (to be compared with 78.5), and we then needed only  $280 \cdot 10^6$  backtracks (compared with  $393 \cdot 10^6$ ) to find their chromatic number. By comparison, the eight other 100-vertex instances have been reduced to subgraphs having 90.9 vertices.

We have also tested our new algorithm on some DIMACS benchmark problems [Johnson 1996]. These problems can be divided into 5 categories; more details can be obtained on the Web site [mat.gsia.cmu.edu/COLOR/instances.html](http://mat.gsia.cmu.edu/COLOR/instances.html).

*Book graphs.* Given a work of literature, a graph is created where each vertex represents a character, and two vertices are connected by an edge if the corresponding characters encounter each other in the book. We have considered the graphs *anna* (from Tolstoy's *Anna Karenina*), *david* (from Dicken's *David Copperfield*), *huck* (from Twain's *Huckleberry*

Table 2. Results for some DIMACS benchmark problems

name of graph	number of vertices	number of edges	chromatic number	size of critical subgraph	backtracks	
					New	EXACT
anna	138	493	11	11	1	8
david	87	406	11	11	1	1
huck	74	301	11	11	1	$211 \cdot 10^6$
jean	80	254	10	10	1	$8 \cdot 10^3$
games120	129	638	9	9	1	-
miles250	128	387	8	8	1	1
miles500	128	1170	20	20	1	8
myciel3	11	20	4	11	4	4
myciel4	23	71	5	23	106	106
myciel5	47	236	6	47	$28 \cdot 10^3$	$28 \cdot 10^3$
myciel6	95	755	7	95	$416 \cdot 10^6$	$416 \cdot 10^6$
queen.5_5	25	160	5	5	1	1
queen.6_6	36	290	7	26	43	410

Finn) and jean (from Hugo's Les Misérables).

*Game graphs.* These graphs represent the games played in a college football season. The vertices represent each college team, and two teams are connected by an edge if they played each other during the season. We have considered the graph games120 which has been obtained from the 1990 college football season.

*Miles graphs.* The vertices represent a set of United States cities. Two cities are linked by an edge if they are close enough. We have considered the graphs miles250 and miles500 which differ on the threshold value used to create edges.

*Myc graphs.* These graphs are based on Mycielski's transformation. They are difficult to solve because they are triangle free but the chromatic number increases in problem size. We have tested the graphs myciel3, myciel4, myciel5 and myciel6.

*Queen graphs.* Given an  $n \times m$  chessboard, a queen graph queen.n\_m is a graph with  $n \cdot m$  vertices, each corresponding to a square of the board. Two vertices are connected by an edge when the corresponding squares are in the same row, column or diagonal. We have considered the graphs queen.5\_5, queen.6\_6, queen.7\_7, queen.8\_8, queen.9\_9 and queen.8\_12.

*DSJC graphs.* These are benchmark random graphs used in [Johnson 1991]. We have considered DSJC125.1 which has 125 vertices and an edge density 0.1. The results are reported in Table 2. It can be observed that *Myc graphs* are critical and there is therefore no advantage in using our algorithm instead of Exact for this category of graphs. Some other graphs are however much easier to color using our new method. The best examples are provided by games120 and queen.8\_12 for which Exact has not been able to determine the chromatic number in less than 24 hours while our new algorithm has reduced these graphs to a clique and has then needed only one backtrack to determine their chromatic number.

## 5. FINAL REMARKS AND CONCLUSION

We have developed a new exact algorithm for finding the chromatic number of a graph  $G$ . The proposed algorithm first determines an upper bound  $k$  on  $\chi(G)$  by means of a heuristic method, and then tries to find a critical subgraph  $G'$  such that  $\chi(G') = k$ . We have seen that if the initial upper bound  $k$  is strictly larger than  $\chi(G)$ , then there is no benefit to use the

new proposed algorithm. It is therefore important to choose an efficient heuristic method for the computation of the initial upper bound  $k$ . Also, when the given graph  $G$  is critical, the *descending phase* is not able to remove any vertex from  $G$ , and the proposed algorithm therefore enters Step 3 with the original graph. In all other cases, the critical subgraph  $G'$  determined by our method is smaller than the original graph  $G$ , and hopefully easier to color.

We have performed computational experiments on random graphs and on DIMACS benchmark problems. These experiments clearly demonstrate that our method can solve larger problems than previous known exact methods.

It is to be mentioned that the new algorithm can be implemented in various ways. First of all, any known exact coloring algorithm can be used for EXACT, and any known heuristic coloring method can be used for HEURISTIC. Moreover, the order in which the vertices are removed from  $G$  during the *descending phase* may influence the size of the resulting critical subgraph  $G'$  of  $G$ . We have decided to order the vertices dynamically by choosing at each step the vertex with smallest degree in the current subgraph  $G'$ . Other strategies may be preferred and can possibly generate smaller critical subgraphs.

#### REFERENCES

- [1] Brélaz D., "New Methods to Color the Vertices of a Graph," *Communications of the ACM* **22**, 4, 1979, 251–256.
- [2] Brown J.R., "Chromatic Scheduling and the Chromatic Number Problem," *Management Science* **19**, 4, 1972, 456–463.
- [3] Fleurent C. and Ferland J.A., "Genetic and Hybrid Algorithms for Graph Coloring," *Annals of Operations Research* **63**, 1996, 437–461.
- [4] Galinier P. and Hao J.K., "Hybrid evolutionary algorithms for graph coloring". to appear in *Journal of Combinatorial Optimization*.
- [5] Garey M.R. and Johnson D.S., *Computers and Intractability : A Guide to the Theory of NP-Completeness*. W.H. Freeman and Company, New York, 1979
- [6] Hertz A. and de Werra D., "Using Tabu Search for Graph Coloring," *Computing* **39**, 1987, 345–351.
- [7] Johnson D.S., Aragon C.R., McGeoch L.A. and Schevon C., "Optimization by Simulated Annealing: an Experimental Evaluation. Part II, Graph Coloring and Number Partitioning," *Operations Research* **39**, 1991, 378–406.
- [8] Johnson D.S. and Trick M.A., "Proceedings of the 2<sup>nd</sup> DIMACS Implementation Challenge," *DIMACS Series in Discrete Mathematics and Theoretical Computer Science* **26**, American Mathematical Society, 1996.
- [9] Peemöller J., "A Correction to Brélaz's Modification of Brown's Coloring Algorithm," *Communications of the ACM* **26**, 8, 1983, 593–597.
- [10] Kubale M. and Jackowski B., "A Generalized Implicit Enumeration Algorithm for Graph Coloring," *Communications of the ACM* **28**, 4, 1985, 412–418.
- [11] Mehrotra A. and Trick M.A., "A Column Generation Approach for Exact Graph Coloring," *INFORMS Journal on Computing* **8**, 1996, 344–354.
- [12] de Werra D., "Heuristics for Graph Coloring," *Computing* **7**, 1990, 191–208.